

Lithium Cordless Screwdriver
Item No.1024110 3.6V Lithium



Item No.	Rated Voltage	Battery	No Load Speed	Output Torque(Max)	Charge Time	Certificate	Qty./Ctn. (pcs)	G.W./N.W. (kg)	Packing Size(cm)	Qty./20" Container(pcs)
1024110-1	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	20	15/13	40x36x30	12740
1024110-2	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	20	15/13	36x32x38	12580
1024110-3	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	20	15/13	48x38x29	10400
1024110-4	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	19/17	36x23x50	6650
1024110-5	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	20	15/13	52x30x27	13060
1024110-6	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	8/6	40x33x23	9060
1024110-7	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	12	9/7	50x39.5x18	9288
1024110-8	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	12	14/12	55x46x32	4080
1024110-9	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	12/10	59x43x20	5420
1024110-10	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	20	20/19	39x39x28	12900
1024110-11	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	13/11	34x34x40	5950
1024110-12	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	14/12	34x34x40	5950
1024110-13	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	10	15/13	34x34x40	5950

Lithium Cordless Screwdriver
Item No.1024103 3.6V Lithium



Charging base doubles as accessories holder



Item No.	Rated Voltage	Battery	No Load Speed	Output Torque(Max)	Charge Time	Certificate	Qty./Ctn. (pcs)	G.W./N.W. (kg)	Packing Size(cm)	Qty./20" Container(pcs)
1024103-2	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	20	16/14	50x38x27	10700
1024103-15	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	10	14/12	59x43x20	5420

Lithium Cordless Screwdriver

Item No.1024101 3.6V Lithium



Item No.	Rated Voltage	Battery	No Load Speed	Output Torque(Max)	Charge Time	Certificate	Qty./Ctn. (pcs)	G.W./N.W. (kg)	Packing Size(cm)	Qty./20" Container(pcs)
1024101-2	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	20	14/12	36x32x38	12580
1024101-3	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	20	14/12	48x38x29	10400
1024101-4	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	10	19/17	36x23x50	6650
1024101-5	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	20	14/12	52x30x27	13060
1024101-6	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	10	7.5/5.5	40x33x23	9060
1024101-9	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	10	11.5/9.5	59x43x20	5420
1024101-10	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	10	11.5/9.5	38x20x28	12920

No:1084001 Cordless Screwdriver 90N.m



Specifications:

Voltage	12V
No Load Speed	0-2000 r/min
Impact Times	0-1500IPM
Battery	2PCS 1.5A
Square Drive	6.35mm
Max Torque	90N.m
Certificate	CE
	Two Speed



No:1084004 Cordless Screwdriver 120N.m



Specifications:

Voltage	12V
No Load Speed	0-2700 r/min
Square Drive	6.35mm
Max Torque	120N.m
Impact Frequency	0-3800bpm
Certificate	CE/GS/ROHS



No:1084002 Cordless Screwdriver 160N.m



Specifications:

Voltage	21V
No Load Speed	0-2400 r/min
Impact Times	0-2800IPM
Battery	2PCS 3.0A
Square Drive	6.35mm
Max Torque	160N.m
Certificate	CE



No:1084003 Cordless Screwdriver 200N.m



Specifications:

Voltage	21V
No Load Speed	0-1200/2400 r/min
Impact Times	0-1400/2800IPM
Battery	2PCS 3.0A
Square Drive	6.35mm
Max Torque	200N.m
Certificate	CE
	Brushless Motor



No:1080001 Cordless Drill 1500mAh



Specifications:

Voltage	12V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed




No:1080002 Cordless Drill 1500mAh



Specifications:

Voltage	12V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed




No:1080005 Cordless Drill 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	35N.m
Certificate	CE
	Two Speed



No:1080006 Cordless Drill 1500mAh



Specifications:

Voltage	16V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	35N.m
Certificate	CE
	Two Speed




No:1080003 Cordless Drill 1500mAh



Specifications:

Voltage	12V
No Load Speed	0-350/0-1350 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	22N.m
Certificate	CE
	Two Speed




No:1080004 Cordless Drill 1500mAh



Specifications:

Voltage	16V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	35N.m
Certificate	CE
	Two Speed



No:1080007 Cordless Drill 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	40N.m
Certificate	CE
	Two Speed



No:1080008 Cordless Drill 1500mAh



Specifications:

Voltage	16V
No Load Speed	0-350/0-1350 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	26N.m
Certificate	CE
	Two Speed




No:1080009 Cordless Drill 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-350/0-1350 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	28N.m
Certificate	CE
	Two Speed



No:1080010 Cordless Drill 1300mAh



Specifications:

Voltage	10.8V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE/BMC
	Two Speed




No:1080013 Cordless Drill 1300mAh



Specifications:

Voltage	10.8V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE
	Two Speed



No:1080014 Cordless Drill 1300mAh



Specifications:

Voltage	18V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	29N.m
Certificate	CE/BMC
	Two Speed



No:1080011 Cordless Drill 1300mAh



Specifications:

Voltage	10.8V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE/BMC
	Two Speed




No:1080012 Cordless Drill 1300mAh



Specifications:

Voltage	10.8V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE/BMC
	Two Speed




No:1080015 Cordless Drill 1300mAh



Specifications:

Voltage	18V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	29N.m
Certificate	CE/BMC
	Two Speed



No:1080016 Cordless Drill 2000mAh



Specifications:

Voltage	18V
No Load Speed	0-450/0-1600 r/min
Torque Settings	22+1
Holding Ability	1-13mm
Max Torque	55N.m
Certificate	CE
	Two Speed




No:1080017 Cordless Drill 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-450/0-1500 r/min
Torque Settings	20+1+1+1
Hex. Collet	6.35mm (1/4")
Max Torque	25/50N.m
Capacities	Steel: 10mm Wood: 21mm Wood Screw: 5.1×63mm Machine Screw: M6
Certificate	CE




No:1080018 Cordless Drill 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-450/0-1500 r/min
Torque Settings	18+1
Chuck Size	10mm
Max Torque	18/27N.m
Capacities	Steel: 10mm Wood: 25mm Wood Screw: 5.1×63mm Machine Screw: M6
Certificate	CE



No:1080021 Cordless Drill 1500mAh



Specifications:

Voltage	18V
No Load Speed	0-400/0-1500 r/min
Torque Settings	21+1
Holding Ability	1-10mm
Max Torque	28N.m
Certificate	CE
	Two Speed




No:1080022 Cordless Drill 1500mAh



Specifications:

Battery	1500mAh
No Load Speed	0-400/0-1500 r/min
Torque Settings	21+1
Holding Ability	1-10mm
Max Torque	32N.m
Certificate	CE
	Two Speed



No:1080019 Cordless Drill 1500mAh



Specifications:

Battery	1500mAh
No Load Speed	0-350/0-1250 r/min
Torque Settings	21+1
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed




No:1080020 Cordless Drill 1500mAh



Specifications:

Battery	1500mAh
No Load Speed	0-350/0-1250 r/min
Torque Settings	21+1
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed




No:1080023 Cordless Drill 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-450/0-1500 r/min
Impact Rate	0-5500/0-21000 r/min
Torque Settings	20+1+1+1
Max Torque	25/50N.m
Capacities	Steel: 13mm Wood: 38mm Masonry: 13mm
Certificate	CE



No:1080024 Cordless Drill 2000mAh



Specifications:

Voltage	12V
No Load Speed	0-430/0-1500 r/min
Impact Rate	0-5500/0-21000 r/min
Torque Settings	20+1+1+1
Max Torque	35/45N.m
Capacities	Steel: 13mm Wood: 38mm Masonry: 13mm
Certificate	CE



No:1080025 Cordless Drill 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-350/0-1350 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed




No:1083001 Cordless Impact Wrench 3000mAh



Specifications:

Voltage	21V
No Load Speed	0-2400 r/min
Impact Times	0-2800 IPM
Battery	2PCS 3.0A
Square Drive	12.7mm(1/2")
Max Torque	250N.m
Certificate	CE



No:1083004 Cordless Impact Wrench 4000mAh



Specifications:

Voltage	20V
No Load Speed	0-1700/0-2100/0-2500 r/min
Impact Times	0-2700 IPM
Battery	4.0A
Square Drive	12.7mm(1/2")
Max Torque	350N.m
Certificate	CE/GS/EMC



No:1083005 Cordless Impact Wrench 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-2400 r/min
Impact Times	0-2700 IPM
Battery	2.0A
Hex. Collet	6.35mm(1/4")
Max Torque	90/150N.m
Certificate	CE/BMC



No:1083002 Cordless Impact Wrench 3000mAh



Specifications:

Voltage	21V
No Load Speed	0-1200/2400 r/min
Impact Times	0-1400/2800 IPM
Battery	2PCS 3.0A
Square Drive	12.7mm(1/2")
Max Torque	250N.m
Certificate	CE
	Brushless Motor




No:1083003 Cordless Impact Wrench 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-1700/0-2100/0-2500 r/min
Impact Times	0-2700 IPM
Battery	2.0A
Square Drive	12.7mm(1/2")
Max Torque	150/180/280N.m
Certificate	CE/BMC



No:1083006 Cordless Impact Wrench 4000mAh



Specifications:

Voltage	20V
No Load Speed	0-660/0-1250/0-1550 r/min
Impact Times	0-1050/0-1500/0-2100 IPM
Battery	2PCS 3.0A
Square Drive	12.7mm(1/2") / 19mm(3/4")
Max Torque	130/400/1356N.m
Capacities	M10-M33
Certificate	CE/BMC



No:1083007 Cordless Impact Wrench



Specifications:

Voltage	20V
No Load Speed	0-2300 r/min
Impact Times	0-3600 IPM
Max Torque	500N.m
Certificate	CE/GS/ROHS



No:1088001

Cordless Rotary Hammer 3000mAh



Specifications:

Voltage	21V
No Load Speed	0-950 r/min
Impact Times	0-4700 IPM
Battery	2PCS 3.0A
Drill Ability	26mm
Impact Energy	2.8J
Certificate	CE
	Brushless Motor



No:1088002

Cordless Rotary Hammer 4000mAh



Specifications:

Voltage	20V
No Load Speed	0-1200 r/min
Impact Times	0-5300 IPM
Battery	4.0A
Drill Ability	Concrete: 26mm Steel: 13mm Wood: 30mm
Certificate	CE/BMC



No:1086001

Cordless Angle Grinder 3000mAh



Specifications:

Voltage	21V
No Load Speed	0-7500 r/min
Battery	2PCS 3.0A
Disc Diameter	100mm
Spindle Thread	M10/M14
Certificate	CE
	Brushless Motor



No:1086002

Cordless Angle Grinder 3000mAh



Specifications:

Voltage	18V
No Load Speed	4500/5500/7500 r/min
Battery	3.0A
Disc Diameter	100/115/125mm
Spindle Thread	M10/M14
Certificate	CE



No:1088003

Cordless Rotary Hammer



Specifications:

Voltage	12V
No Load Speed	0-1100 r/min
Impact Times	0-6000 IPM
Drill Ability	Concrete: 10mm Steel: 8mm Wood: 20mm
Certificate	CE/GS



No:1091001

Auger 4000mAh



Specifications:

Voltage	18V
Auger Diameter Max	150mm
Running Times	up to 30 Holes @ 400mm depth
Battery	4.0A
Auger Bits	80/100/150mm
Certificate	CE/GS/EMC
	Brushless Motor



No:1086003

Cordless Angle Grinder 3000mAh



Specifications:

Voltage	18V
No Load Speed	7500 r/min
Battery	3.0A
Disc Diameter	115mm
Spindle Thread	M10/M14
Certificate	CE/GS/EMC




No:1086004

Cordless Angle Grinder 3000mAh



Specifications:

Voltage	20V
No Load Speed	2500-10000 r/min
Battery	3.0A
Disc Diameter	115/125mm
Spindle Thread	M14
Certificate	CE/GS/ROHS



No:1090001 Cordless Nailer 2000mAh



Specifications:

Voltage	21V
Shot Per Minute	60 Nails Max
Battery	2PCS 2.0A
Max Magazine	100 Nails
Nail Shape	F50 / K440
Certificate	CE



No:1090002 Cordless Nailer

Hot!



Specifications:

Voltage	21V
Shot Per Minute	No less than 100 times
Max Magazine	100 Nails
Nail Shape	F50
Certificate	CE



No:1090005 Cordless Nailer 1500mAh



Specifications:

Voltage	3.6V
Shot Per Minute	30 Nails Max
Battery	1.5A
Max Magazine	100 Nails
Nail Shape	TYPE C Width: 10mm
Certificate	CE



No:1087001 Cordless Blower 1500mAh



Specifications:

Voltage	16V
No Load Speed	0-4000/12000/18000r/min
Battery	2PCS 1.5A
Max Air Speed	200Kmh
Max Air Volume	80CFM
Certificate	CE

Three Speed



No:1090003 Cordless Nailer 1500mAh



Specifications:

Voltage	4V
Shot Per Minute	30 Nails Max
Battery	1.5A
Max Magazine	50pcs ARROW T50 staple 100pcs Bosch 53# staple 50pcs T-brad
Nail Shape	T50 / 53# / T-brad
Certificate	CE



No:1090004 Cordless Nailer



Specifications:

Voltage	20V
Shot Per Minute	30 Nails Max
Battery	1.5A
Max Magazine	50 Nails
Nail Shape	Nylon 775#
Certificate	CE



No:1087002 Cordless Blower 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-4000/12000/18000r/min
Battery	2PCS 1.5A
Max Air Speed	220Kmh
Max Air Volume	90CFM
Certificate	CE

Three Speed



No:1087003 Cordless Blower



Specifications:

Voltage	20V
No Load Speed	11000r/min
Max Air Volume	2.8m³/min
Certificate	CE



No:1095001 Cordless Reciprocating Saw



Specifications:

Voltage	18V
No Load Speed	0-2800 r/min
Stroke Length	28mm
Certificate	CE/GS/EMC



No:1095002 Cordless Reciprocating Saw



Specifications:

Voltage	12V
No Load Speed	0-2700 r/min
Stroke Length	15mm
Certificate	CE/GS



No:1092001 Cordless Circular Saw



Specifications:

Voltage	12V
No Load Speed	1450 r/min
Cutting Saw Size	∅ 85x∅15x1mm
Cutting Depth	26.5mm in 90° 17.0mm in 45°
Certificate	CE/GS



No:1092002 Cordless Circular Saw



Specifications:

Voltage	20V
No Load Speed	4500 r/min
Cutting Saw Size	∅ 165x∅20x1mm
Cutting Depth	55mm in 90° 40mm in 45°
Certificate	CE/GS



No:1095011 Cordless Jig Saw



Specifications:

Voltage	18V
No Load Speed	4000 r/min
Cutting Ability	100mm
Certificate	CE/GS/EMC
	Quick Change



No:1095012 Cordless Jig Saw



Specifications:

Voltage	12V
No Load Speed	1500-2800 r/min
Cutting Ability	50mm
Certificate	CE/GS



No:1093001 Cordless Multifunction Tool



Specifications:

Voltage	12V
No Load Speed	5000-18000 r/min
Swipping Angle	3.2°
Certificate	CE/GS



No:1094001 Cordless Polisher 2000mAh



Specifications:

Voltage	12V
Battery	2.0A
Polishing Disc Diameter	100mm
Certificate	CE/GS/EMC



No:1089001 Cordless Caulking Gun 1500mAh



Specifications:

Voltage	12V
Press Out Speed	0-6.5mm/s
Battery	2PCS 1.5A
Max Pressare Force	3800N
Material Capacity	300/600ml
Certificate	CE



No:1089002 Cordless Caulking Gun 1500mAh



Specifications:

Voltage	16V
Press Out Speed	0-7.2mm/s
Battery	2PCS 1.5A
Max Pressare Force	5200N
Material Capacity	300/600ml
Certificate	CE



No:1089003 Cordless Caulking Gun 1500mAh



Specifications:

Voltage	21V
Press Out Speed	0-8.7mm/s
Battery	2PCS 1.5A
Max Pressare Force	6500N
Material Capacity	300/600ml
Certificate	CE



No:1100003 Petrol Chain Saw 52CC/58CC



Specifications:

Displacement	52CC/58CC
Engine	1E45F/1E46F
Rated Power	2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	20"/22"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1



No:1100001 Petrol Chain Saw 45CC/52CC/58CC



Specifications:

Displacement	45CC/52CC/58CC
Engine	1E43F/1E45F/1E46F
Rated Power	1.7kw/1000rpm 2.0kw/1100rpm 2.2kw/1150rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	18"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100002 Petrol Chain Saw 45CC/52CC/58CC



Specifications:

Displacement	45CC/52CC/58CC
Engine	1E43F/1E45F/1E46F
Rated Power	1.7kw/1000rpm 2.0kw/1100rpm 2.2kw/1150rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	18"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100004 Petrol Chain Saw 52CC/58CC



Specifications:

Displacement	52CC/58CC
Engine	1E45F/1E46F
Rated Power	2.0kw/1100rpm 2.2kw/1150rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	20"/22"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100005 Petrol Chain Saw 25CC



Specifications:

Displacement	25CC
Engine	1E31F
Rated Power	1.2kw/1000rpm
Idle Speed	3000rpm
Fuel tank capacity	230ml
Oil tanks capacity	220ml
Max Cutting Diameter	12"
Chain pitch-gauge	3/8"-0.050"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100006 Petrol Chain Saw 25CC



Specifications:

Displacement	25CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	0.9kw/800rpm
Idle Speed	3200rpm
Fuel tank capacity	230ml
Oil tanks capacity	210ml
Guide Bar Size	10"/12"
Chain pitch	3/8
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100007 Petrol Chain Saw 25CC



Specifications:

Displacement	25CC
Engine	2-stroke
Rated Power	0.9kw/700rpm
Idle Speed	3000rpm
Fuel tank capacity	230ml
Oil tanks capacity	160ml
Guide bar Size	10"/12"
Chain pitch	3/8
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100008 Petrol Chain Saw 38CC



Specifications:

Displacement	38CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.25kw/800rpm
Idle Speed	3200rpm
Fuel tank capacity	310ml
Oil tanks capacity	210ml
Guide Bar Size	14"/16"
Chain pitch	3/8 0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1



No:1100009 Petrol Chain Saw 38CC



Specifications:

Displacement	38CC
Engine	2-stroke
Rated Power	1.2kw/7000rpm
Idle Speed	3000rpm
Fuel tank capacity	310ml
Oil tanks capacity	210ml
Guide bar Size	14"/16"
Chain pitch	3/8
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100013 Petrol Chain Saw 58CC



Specifications:

Displacement	58CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100010 Petrol Chain Saw 45CC



Specifications:

Displacement	45CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	16"/18"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100014 Petrol Chain Saw 58CC



Specifications:

Displacement	58CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100011 Petrol Chain Saw 45CC



Specifications:

Displacement	45CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	16"/18"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100015 Petrol Chain Saw 58CC



Specifications:

Displacement	58CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100012 Petrol Chain Saw 52CC



Specifications:

Displacement	52CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.9kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100016 Petrol Chain Saw 62CC



Specifications:

Displacement	62CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.7kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	670ml
Oil tanks capacity	350ml
Guide Bar Size	22"/24"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100017 Petrol Chain Saw 61.5CC



Specifications:

Displacement	61.5CC
Engine	2-stroke
Rated Power	2.5kw/7000rpm
Idle Speed	3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100018 Petrol Chain Saw 62CC



Specifications:

Displacement	62CC
Engine	2-stroke
Rated Power	3.2kw/7000rpm
Idle Speed	3200rpm
Fuel tank capacity	670ml
Oil tanks capacity	350ml
Guide bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100019 Chainsaw & Pole Chainsaw 18V



Specifications:

DC Voltage	DC 18V
Battery	lithium 1.5/2.0Ah
Charging Time	3-5hours/1-1.5hours
Running Time	15-25mins
Speed	4.5m/s
Max Cutting Length	250mm
Telescopic Tube	Aluminium(185cm-245cm without bar)
Oil Capacity	100ml
With Rotated Head	0°, 15°, 30°
Quickly Fasten System	

No:1100020 Chain Saw 18V



Specifications:

DC Voltage	DC 18V
Battery	lithium 1.5/2.0Ah
Charging Time	3-5hours/1-1.5hours
Running Time	20-25mins
Speed	2.9m/s
Max Cutting Length	250mm
Total Length	650mm
Oil Capacity	150ml
Auto Oil Supply Quickly Fasten System	

No:1100021 Chain Saw 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
Guide Bar Size	12"
Certificate	CE



No:1100022 Chain Saw 1600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1600W
Guide Bar Size	14"
Certificate	CE



No:1100023 Chain Saw 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
Guide Bar Size	16"
Certificate	CE



No:1100024 Chain Saw 2400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2400W
Guide Bar Size	16"
Certificate	CE



No:1100102 Brush Cutter 45CC/52CC



Specifications:

Displacement	45CC/52CC
Engine	1E43F/1E45F
Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100103 Brush Cutter 45CC/52CC



Specifications:

Displacement	45CC/52CC
Engine	1E43F/1E45F
Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1

No:1100406 4 In 1 Multi-tool 45CC/52CC



Specifications:

Displacement	45CC/52CC
Engine	1E43F/1E45F
Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1



No:1100104 Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1000W/1200W
No-load Speed	8000rpm
Cutting Capacity	40cm
Nylon Line	2.0mmx5m
Steel Tube Dia	25.4mm
Certificate	CE




No:1100105 Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	250W
No-load Speed	11000rpm
Cutting Capacity	25cm
Spool	2x4m length, ϕ 1.2mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100106 Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No-load Speed	11000rpm
Cutting Capacity	30cm
Telescopic Tube	Aluminium 920mm-1140mm
Spool	2x4m length, ϕ 1.4mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100107 Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No-load Speed	9000rpm
Cutting Capacity	33cm
Certificate	CE



No:1100108 Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No-load Speed	8800rpm
Cutting Capacity	32cm
Certificate	CE



No:1100109 Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	350W
No-load Speed	10000rpm
Cutting Capacity	26cm
Spool	2x4m length, ø1.4mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100203 Hedge Trimmer 26CC



Specifications:

Displacement	26CC
Engine	1E26F
Rated Power	0.85kw/7500rpm
Idle Speed	2800rpm
Fuel tank capacity	800ml
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1



No:1100110 Brush Cutter



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No-load Speed	12500rpm
Cutting Capacity	25cm
Certificate	CE



No:1100111 Brush Cutter



Specifications:

Battery	20V 2.0Ah(1.5Ah-4.0Ah)
Battery Type	Lithium-ion
Charging Time	4h(1h For Fast Charger)
No-load Speed	9000rpm
Cutting Capacity	25cm
Certificate	CE



No:1100204 Hedge Trimmer 25.4CC



Specifications:

Displacement	25.4CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	0.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	230ml
Handle Type	Super rolling (180°)
Blade	Duble Side
Pruning Length	600mm
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100205 Hedge Trimmer 25.4CC



Specifications:

Displacement	25.4CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	0.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	230ml
Handle Type	Fixed
Blade	Duble Side
Pruning Length	600mm
Certificate	CE
Gasoline/2-cycle oil mixing ratio	40:1

No:1100206 Hedge Trimmer 500W / 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W/ 600W
No-load Speed	1500/1600rpm
Length of Blade	410/460/510/560/610/630mm
Branch Cutting Diam.	16mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100207 Hedge Trimmer 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
No-load Speed	1700rpm
Length of Blade	410/460/510/560/610/630mm
Branch Cutting Diam.	16mm
Cable	2x0.75mmx0.35m
Certificate	CE



No:1100502 Water Pump 52CC



Specifications:

Displacement	52CC
Engine	1E45F
Rated Power	1.5kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Calibe	1", 1.5", 2"
Lift	10m
Suction	6m
Flow	8m³/h
Certificate	CE
Gasoline/2-cycle oil mixing ratio	25:1



No:1100601 Blower 63CC



Specifications:

Displacement	63CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Air Volume	0.3 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100602 Blower 76CC



Specifications:

Displacement	76CC
Engine	Air-cooled, 4-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	2800-3200rpm
Air Volume	0.32 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100603 Blower 76CC



Specifications:

Displacement	76CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	3.5kw/8000rpm
Idle Speed	3300rpm
Air Volume	0.35 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100604 Blower 75.6CC



Specifications:

Displacement	75.6CC
Engine	Air-cooled, 4-stroke, single cylinder
Rated Power	2.6kw/8000rpm
Idle Speed	2800-3200rpm
Displacement	7000
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type
Wind Speed	86m/s
Fuel Tank Capacity	2L

No:1100605

Blower 63.3CC

**Specifications:**

Displacement	63.6CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.7kw/8000rpm
Idle Speed	2800-3200rpm
Displacement	6800
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type
Wind Speed	90m/s
Fuel Tank Capacity	2L

No:1100606

Blower 63.3CC

**Specifications:**

Displacement	63.6CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.7kw/8000rpm
Idle Speed	2800-3200rpm
Displacement	6800
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type
Wind Speed	90m/s
Fuel Tank Capacity	2L

No:1100607

Blower 58CC

**Specifications:**

Displacement	58CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	2.2kw/8000rpm
Idle Speed	3300rpm
Air Volume	0.35 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100608

Blower 88CC

**Specifications:**

Displacement	88CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	3.5kw/8000rpm
Idle Speed	3300rpm
Air Volume	0.7 m³/s
Ignition	C.D.I
Noise	96 Db(A)
Carburetor Type	Diaphragm Type

No:1100621

Blower 2000W

**Specifications:**

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
No-load Speed	14000rpm
Air Speed	200km/h
Air Volume	11m³/min
Certificate	CE



No:1100622

Blower 2200W

**Specifications:**

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2200W
No-load Speed	15000rpm
Air Speed	220km/h
Air Volume	13m³/min
Certificate	CE



No:1100623

Blower 3500W

**Specifications:**

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	3500W
No-load Speed	17000rpm
Air Speed	260km/h
Air Volume	18m³/min
Certificate	CE



No:1100624

Blower 3800W

**Specifications:**

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	3800W
No-load Speed	13500rpm
Air Speed	280km/h
Air Volume	20m³/min
Certificate	CE



No:1100631

Blower 20V



Specifications:

Voltage	20V
No-load Speed	16000rpm
Blowing Speed	130km/h
Air Volume	6m³/min
Working Time	30mins
Certificate	CE



No:1100632

Blower 20V



Specifications:

Voltage	20V
No-load Speed	18000rpm
Blowing Speed	168km/h
Air Volume	29m³/min
Working Time	30mins
Certificate	CE



No:1100633

Blower 40V



Specifications:

Voltage	40V
No-load Speed	18000rpm
Blowing Speed	180km/h
Air Volume	20m³/min
Working Time	40mins
Certificate	CE



No:1100701

Electric Sprayer 8L



Specifications:

Voltage	12V
Water Volume	8L
Compressor Pressure	6 Bar
Battery Capacity	1300/1500/2000mAh
Automatically Start/Stop	Start When P<1.8Bar, Stop When P>2.8Bar
Gross/Net Weight	3.2/3.0Kg
Accessory	Sprayer Nozzle, Car Cleaning Brush Shower Nozzle, Tire Charging Hose Battery Charger



No:1100702

Electric Sprayer 16L



Specifications:

Voltage	12V
Water Volume	16L
Compressor Pressure	6 Bar
Battery Capacity	1300/1500/2000mAh
Automatically Start/Stop	Start When P<1.8Bar, Stop When P>2.8Bar
Gross/Net Weight	3.8/3.2Kg
Accessory	Sprayer Nozzle, Car Cleaning Brush Shower Nozzle, Tire Charging Hose Battery Charger



No:1100801

Electric Shredder 2600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2600W
No-load Speed	4200rpm
Max Cutting Dia	40mm
Capacity Of Collection Box	50L



No:1100802

Electric Shredder 2400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2400W
No-load Speed	4500rpm
Max Cutting Dia	29mm

